

Make your house a home



**Top
Performance**



**High
Security**



**Better
Insulated**



**Superb Weather
Protection**



Welcome to Your Company
oluptat fugia vellabo
rehendi ctemquide cum
quunt moloribus, quis
doluptaquodi dolorro eius

modi dis eos maxim faccullam volupid
que conem nistibus eatemporio
corem reperer naturio. Ut apiditi
busaeres magnis dolupta asperferum
quia vellorem is veni que pedi num
quiandam, qui que re enda dolor a
serchilis excersp elitibus.



Content

PVC-U windows & doors range	04 - 13
Aluminium windows & doors range	14 - 21
PVC-U colours and finishes	22
Aluminium colour and finishes	23
Composite doors range	24 - 29
Home extension & conservatory transformation	30 - 33
Smart security	34 - 35



Award-winning PVC-U Windows and Doors

We offer a complete range of energy efficient and high security PVC-U windows and doors, available in a range of colours and finishes.

PROFILE22
by Epwin Window Systems

Profile 22 is the fully integrated, award-winning PVC-U window and door system designed to deliver the best of everything.

An award-winning system

Profile 22 is an award-winning system that represents the best the industry has to offer. The system offers impressive design flexibility with either a gently curved frame or clean, contemporary lines that are at home in every type of property. As the independent judging panel said: "This suite of profiles seems to provide an answer to most window needs." When you work with Profile 22, you'll see what they mean.

Better insulated

The 6-chambered outerframe and 5-chambered sash plus bigger glass area means Profile 22 offers excellent thermal performance. It can achieve U-values as low as 0.8 W/m²K and A++ Window Energy Ratings (WER).

Superb weather protection

The revolutionary centre seals to the outerframe and sash plus the 10mm sash cover deliver enhanced insulation and weather protection. Superb performance, no matter how demanding the conditions.

Superior security and strength

Profile 22 has features such as a central Eurogroove that gives the sashes greater rigidity and strategic local wall thickening for 35% better screw and hardware retention. Intelligent features that maximise security and strength.

Built to last

Profile 22 has been designed to be simple to install, and surpasses Building Regulations and PAS 24. It is highly accredited and has Secured by Design approval. A superior-quality system, built for life.

Profile 22 casement

The classic window design with all the options you need.

The Profile 22 Casement Window is suitable for almost any size of aperture or design layout, including bay and bow windows. It is an internally glazed system that can be specified with single top or side hung openers and multi-lights.

Features

- Chamfered or Sculptured edge design
- 24, 28, 36, 40 & 44mm glazing options
- 5-chamber sash (with optional RCM inserts available)
- Outer frame / sash centre seals
- 10mm cover on weather seal
- 6-chamber outer frame (with optional RCM inserts)

Profile Shape Options



Chamfered



Sculptured




Profile 22 tilt & turn window

A stylish, practical window for high, exposed or difficult access locations

The Profile 22 Tilt & Turn Window offers superior sightlines and a higher glass-to-frame ratio, which makes it an excellent choice for commercial projects. The reassurance of secure all-round locking delivers a reliable and strong window with superb overall aesthetics due to its elegant and streamlined frame aesthetics.

Features

- Chamfered or Sculptured edge design
- 24, 28, 36, 40 & 44mm glazing options
- Concealed hardware
- Optional sash & outer frame centre seals
- 5-chamber sash
- 5-chamber outer frame with optional RCM inserts available



Profile 22 residential and French door

The Profile 22 Residential and French Doors offer a perfect match with your windows.

Both products have been meticulously designed to offer a wealth of aesthetic and practical options including high-quality functionality, durability, performance, finish and security so you can tailor every project to the most precise of specifications.

Features

- Chamfered or Sculptured edge design
- 24, 28, 36, 40 & 44mm glazing options
- Optional sash centre seals
- 5-chamber open in / open out sash
- Part Q & M compliant



Flush casement window


The Flush Casement Window System beautifully and accurately replicates the original features of traditional timber casement windows.

At the same time, modern engineering means superior thermal performance and outstanding weather protection too.

For heritage projects, the Flush Casement Window has all the period authenticity that's required to support the most sensitive of restorations. At the same time, the classic understated aesthetics mean it is at home in modern properties too. It's a level of versatility that is seldom seen on comparative systems and delivers at every level with no compromise.

Features

- Traditional putty line edge detail
- Mechanically jointed outer frame & sash
- Optional deep bottom rail
- Optional sash centre seal
- Outer frame sash seal
- 6-chamber outer frame with optional RCM inserts



Authentic proportions

Features such as slim depth sashes, putty line edge and a dummy sash to give a balanced aesthetic for frames with fixed lights combine to recreate the elegant proportions of a traditional British cottage window.

Deep bottom rail

A hallmark of a traditional timber window is replicated in a specifically designed deep sash profile.

Mechanically jointed option

Sashes, deep bottom rails and outer frames are all available in mechanically jointed versions for when period authenticity is a requirement.

Classic lines

The frames have a simple, chamfered finish outside and a choice of chamfered and sculptured frames internally to personalise a look.

Heritage hardware

Monkey-tail handles and dummy peg stays provide the perfect period finishing touch when restoring heritage properties.



Vertical sliding sash window

The Vertical Sliding Sash Window by Epwin Window Systems was one of the first PVC-U sliding sash window systems to enter the UK market.

Over 20 years later it's maintained its status as the market leader because it delivers true sash window authenticity at every level.

Our Vertical Sliding Sash Window system remains at the forefront of the industry today because its classic good looks enhance heritage properties and add understated style to modern ones. Every detail has been considered and the result is a window that offers outstanding authenticity and thermal performance with no compromise.

Features

- Thermal inserts for improved WER & U-values
- 24mm double glazing as standard
- Run-through or screw-on horn options
- Two sash profile depths to give equal vertical sightlines
- Mechanically jointed deep bottom rail option
- Weatherbar
- 150 & 210mm cill options



Heritage looks modern day benefits

Perfect proportions, period details and traditional techniques. Traditional box-sash dimensions, hardware and glorious period colours – it's enough to melt the heart of the toughest planning officer.

Authentic proportions

From the authentic ovolo styling to the deep bottom rail and large and small sash profiles, every detail has been considered. Even the 128mm outer frame matches traditional box sash dimensions. Everywhere you look, you'll notice intelligent attention

Beautiful options

All the details you need are available. Run-through or moulded sash horns, Georgian bars, dedicated ancillaries, end caps and cills. The system takes off-the-shelf and high-security hardware and is available in a wealth of colour options too.

Impressive performance

The window benefits from 24mm double glazing as standard. Woolpile weather seals are fitted around the outer frame and sashes, and there's an optional weatherbar which can improve weather performance and enhance the overall appearance. For improved thermal efficiency there are optional thermal inserts for the sashes, made from recycled composite materials. A WER of A+ and U-values as low as 1.3 W/m²K can be achieved.



PatioMaster sliding door

The market-leading PatioMaster sliding door system combines the best in PVC-U aesthetics to deliver a robust, high performing patio door that fits beautifully into any home.

With its enhanced aesthetics and improved interlock sightlines, PatioMaster also boasts a new midrail, designed to accommodate a security letter plate. There is also superior weather performance and a new option for triple glazing. Thermal and weather performance have been upgraded with a new sash that increases glazing options to include 28mm and 36mm (triple glazed). Strength and security are at the forefront of the system. A new, larger reinforcing chamber makes the system stronger and more robust. And as well as the homeowner-favourite Yale 6-hook lock, we have also taken security to the next level with additional shootbolt-type locking points to deliver a 10-point locking upgrade.



PatioMaster[®] by Epwin Window Systems

Aesthetics

- 70mm system compatible with all leading PVC-U systems
- Chamfered profile fits beautifully into British homes
- 2, 3, 4 or 6-pane configurations
- Maximum brickwork opening up to 5.9 metres with Triple Track option
- Choice of handles and finishes, including dual colours
- Full range of colours and finishes, including grained and flat textures
- Patented interlock system with enhanced sightlines
- NEW mechanically jointed midrail design offers enhanced appearance.



Performance

- 28mm and 36mm (triple glazed) glazing options
- NEW PCE gasket design delivers improved weather seals
- Larger sash reinforcing enhances meeting stile strength for improved wind loading.



Usability

- Easy glide, stainless steel track system for maximum structural integrity, corrosion resistance and service life
- Edge-located rollers for easy adjustment and smooth glide feel
- Beautiful, easy-to-use handles.



Strength and Security



- Homeowner-favourite Yale 6-hook locking system
- Additional shootbolt extensions to deliver 10-point locking that meets the requirements of PAS 24
- NEW, larger reinforcing chamber delivers a system that's stronger and significantly enhances weather performance.

PatioMaster Twin Track Sliding Door System

The PatioMaster Twin Track Sliding Door is a classic sliding door system. Simple good looks, ease of use and impressive energy efficiency and security credentials all add up to a sliding patio door system that adds value in more ways than one.

Features

- 2, 3 or 4-pane configurations
- 28mm and 36mm glazing options
- U-value 1.0 W/m²K with triple glazing
- Easy glide, stainless steel track system
- Low sightline co-extruded gaskets
- 10-year guarantee



PatioMaster Triple Track Sliding Patio Door System

The Triple-Track Sliding Door is a stunning glazing solution that delivers the wide-open feel that today's homeowners love, even at smaller frame sizes. With two or four sliding sashes that stack neatly behind each other, they don't encroach on precious space indoors or out. They offer significantly more open space compared to conventional sliding doors – and they have a better glass-to-frame ratio than doors with folding sashes for bigger, more expansive sightlines.

Features

- 3 or 6-pane configurations up to 5.9m brickwork opening
- 28mm and 36mm glazing options
- U-values as low as 1.0 W/m²K with triple glazing
- Maximum size with a 6-pane doorset: 5920 x 2360
- Increases available opening space
- Carriage wheels at sash ends for easy adjustment and stability
- Low sightline co-extruded gaskets
- 10-year guarantee

Aluminium windows and doors range

Stellar offers a complete range of windows and doors, perfect for a wide range of architectural styles. It's ideal for both domestic and commercial projects, for new-build housing, for refurbishment projects and for the creation of real, lasting kerb appeal.



Less frame, more light

Stellar's frames are 30% slimmer than those of the closest competitors. Based on an internally-glazed GGF standard window, with Stellar, there's an extra 12% glass area.

Reduced cost, reduced waste

Stellar uses approximately 30% less aluminium than comparable systems. It's therefore more affordable, more sustainable and less likely to generate waste.

Cleaner lines and adaptable style

Stellar has clean lines and the option of a genuine fully-flush casement. It has a contemporary style that also works with more traditional architecture.

Thermal performance

Strong aluminium sections allow large glazed areas, while advanced thermal break technology ensures no compromise on insulation. Stellar can reach a WER of Band A++ and U-values of 0.95 W/m²K with triple glazing.



Stellar flush casement window range

The Stellar Flush Casement Window has an immaculate, streamlined flush aesthetic on the exterior frame with the opening pane perfectly aligned with the window's frame.

Inside, there's a classically neat, stepped appearance. The Stellar Fully Flush Casement Window extends the streamlined flush aesthetic to both the interior and exterior of the window. This unique flush design offers the ultimate in minimalist styling and is ideal for the most modern styles of architecture.

Features

- Market leading slim sightlines
- Flush and Fully Flush design
- Robust hardware with multiple locking points for reassuring security
- Up to 12% more glass area than a comparable window
- All assemblies, trims and cills for bay and bow windows
- Astragal bar option
- Flexible design allows almost any arrangement of top or side-hung sashes and fixed lights with no need for adaptors and dummy sashes.



Double or triple glazed



Wind load resistance to 2000Pa



Water tightness to 600Pa



Air permeability to 600Pa



U-values 1.4 W/m²K - Double glazed, 0.95 W/m²K - Triple glazed.



Stellar flush tilt & turn window

The Flush Tilt & Turn window offers a dramatic expanse of glass that maximises light and views.

The Stellar Flush Tilt & Turn window has a strikingly slim sash that sits flush against its frame and has elegantly concealed gearing to give you a contemporary, streamlined finish. It gives a dramatic expanse of glass that maximises light and views to create a sophisticated space that's popular across domestic installations.

Features

- Contemporary slim sightlines
- Sash sits flush against the frame for a streamlined finish
- Concealed hardware enhances the sleek finish

Sash weights and size limits

- Available in larger sizes to create modern, light-filled living spaces
- 1342mm x 2442mm
- 1642mm x 2042mm
- Fixed light: 5m².



Double or triple glazed



Wind load resistance to 1600Pa



Water tightness to 300Pa



Air permeability to 600Pa



U-values 1.4 W/m²K - Double glazed. 1.1 W/m²K - Triple glazed.



Stellar flush door

Ideal for standard front or rear entrance doors as well as French doors.

And because they're all fully flush inside and out they have all the benefits of Stellar's stunning design. Side panels and fanlights can easily be incorporated into doorsets, and as many components are shared with the casement window, stock levels are easy to manage. These doors also benefit from superior quality hardware. Selected for reliable performance, tested through 10,000 cycles – locks, hinges, handles – every single element contributes to a secure, robust and very stylish whole.

Features

- Fully Flush aesthetic
- 1.4 W/m²K (double glazed) or 1.2 W/m²K (triple glazed)
- Fully adjustable 3D hinge option
- Low profile DDA compliant threshold
- Max size 1000mm x 2400mm
- PAS 24 as standard
- Beads: 28, 32, 36, 44mm.



Double or triple glazed



Wind load resistance to 2000Pa



Water tightness to 600Pa



Air permeability to 600Pa



U-values can be as low as 1.2 W/m²K




Stellar inline sliding door

Part of the multi-award-winning Stellar aluminium window and door system.

Designed and manufactured in Britain, Stellar provides the best aluminium window and door products for today's discerning homeowners. Everywhere you look, there are innovative patented features and intelligent design protocols that make Stellar straightforward to fit and beautiful to live with. Quite simply, Stellar is the future of aluminium windows and doors.

Features

- Market-leading slim profile allows the glass to take centre stage
- 35mm slim interlock option maximises natural light diffusion
- The outerframe aligns with the sash, delivering a flush appearance
- Robust security because the door meets Building Regulation requirements and PAS 24: 2022 as standard
- Choice of threshold options.
- Choice of glazing options, including triple glazing to help keep your home warm in winter and cool in summer
- Reduced fabrication time because the direct glazed fixed light eliminates the need for a fixed dummy sash
- Unique quick-fitting process means a neater finish where the glazing meets the frame, enhancing the appearance of your door
- Choice of 2, 3, and 4-pane options to support all door aperture projects



Slimline aesthetics & flexible functionality of the Inline Sliding Door

With the trend for large expanses of glass that give unrestricted views to the outside or adjoining room, the Stellar Inline Sliding Door opens up endless possibilities.

It has a stunningly slim aluminium profile and a slimline interlock of just 35mm so the frames sit wonderfully unobtrusively. Each sash can be up to 1675mm wide, so you can have fewer sashes and more glazed area. And because the outerframe seamlessly aligns with the sash, the door delivers a flush appearance that perfectly suites with other products in the Stellar Aluminium collection.

It's available in 2, 3, and 4-pane configurations with a maximum total width of 6500mm, so it offers design flexibility to support all architectural requirements.

The innovative thermal break technology means the door meets Part L thermal efficiency requirements of Building Regulations with standard 28mm double glazing. Its outstanding weather performance and security testing credentials corroborate the quality of the Stellar Inline Sliding Door.



Double or triple glazed



**Wind load resistance
Class B3 to 1200Pa**



**Water tightness
Class 5A to 200Pa**



**Air permeability
Class 3 to 600Pa**



**U-values can be as low
as 0.9 W/m²K**

Enjoying the full vista

When you want to put all the attention on the view and create a striking style statement, the Stellar Inline Sliding Door is the answer.

Bringing together internal and external environments is a trend that allows a closer connection with your garden or patio area. Sliding doors are perfect for internal room dividers too as they allow a natural light source into the room but give closed off privacy when needed.



The market-leading slimline Stellar Inline Sliding Door has been purposely designed to maximise this natural light diffusion and deliver next-level flush aesthetics for today's modern interiors. And with a choice of 2, 3, and 4-pane configurations the Stellar Inline Sliding Door is the next generation of slimline aluminium doors designed to make the most of your vista without compromise.



Stellar slimline bifold door

The Stellar Aluminium Slimline Bifold Door has all the strength a bifold needs and packs a real punch with its slim sashes and a contemporary looks.

At just 117mm wide, the slim meeting stiles create an attractive sightline, letting the glass take centre stage for maximum consumer appeal. The slimline door meets the new Part L requirements for thermal efficiency with standard 28mm double glazing..

Features

- Mechanically jointed frames for easy transportation
- 28mm, 36mm, and 44mm glazing options
- PAS 24 accredited system and Secured by Design option
- Inward and outward opening leaves
- Thermal break technology means the door meets Part L thermal efficiency requirements with standard 28mm double glazing
- U-values as low as 0.9 W/m²K
- Slimline 117mm meeting stile
- Low threshold option available
- Exceptionally slim sightlines and beautifully expansive glazed area
- Choice of access door position
- Faster installation with patented pre-gasketed knock-in beads means less time on site
- Adjustable unique patent-pending locking stile so the clearance between lock and keep can be adjusted to take up cutting tolerances
- Tailed glazing gaskets and under-glass seal break up the cavities behind and under glass for further thermal insulation
- Stainless steel tracks and quad stainless steel rollers so the door opens and closes effortlessly every time



Effortless installation

Because Stellar was designed from the ground up, every element has been carefully considered.

It means the Stellar Slimline Bifold Door is quick and easy to install. Patented pre-gasketed knock-in beads make glazing the Stellar Slimline Bifold Door straightforward. They also leave a neat, clean gasket line on the inside to help lift the aesthetics to the next level. And the **unique patent-pending adjustable slimline lock stile eliminates the need for adjustable door jambs, delivering superior aesthetics and straightforward adjustment during fitting.**

Tailed glazing gaskets and under-glass seal break up the cavities behind and under the glass to enhance thermal performance.

By design, the Stellar Slimline Bifold Door is 20% slimmer than the original Stellar Bifold and delivers superior slim sightlines at every level. At just 117mm wide, the slim meeting stiles create an attractive sightline in the closed position, letting the glass take centre stage for maximum consumer appeal.



Double or triple glazed



Wind load resistance to 1200Pa



Water tightness to 200Pa



Air permeability to 300Pa



U-values as low as 1.3 W/m²K (double glazed) / 0.9 W/m²K (triple glazed)

The Stellar Slimline Bifold Door Difference

A bifold door is a stunning style statement that connects the indoors and outdoors in an extraordinary way



When you choose the Stellar Slimline Bifold Door, you take the effortless elegance of a bifold door to the next level. Stellar has all the strength a bifold needs and packs a real punch with its stunningly slim sashes, expansive glazed area and contemporary square aesthetics.



PVC-U colours and finishes

PVC-U windows and doors colour range

Aluminium colours and finishes

Aluminium windows and doors colour range

Colour Range

Made to Order Colours are available with white PVC-U internal faces, or foiled on both sides on a complementary base colour for better looking installations.

Cream Base	Tan Base	Brown Base	White Base	Grey Base
Cream	Irish Oak	AnTeak	White	Black Ulti-Matt
Sage Smooth	Honey Oak Super-Matt	Swamp Oak	Dark Red	Basalt Grey Smooth
Claystone	Light Oak	Rosewood	Steel Blue	Silver D Smooth
Agate Grey	Pyrite	Black Brown	Dark Green	Slate Grey Finesse
Pebble Grey		Flemish Gold Smooth		Slate Grey
Chartwell Green				Kensington Grey
Windsor				Anthracite Grey
				Buckingham Grey
				Anthracite Grey Smooth

Colour Range

In addition to our selection of stocked colours below, we can supply profiles finished with any gloss level, in any RAL colour, or any dual colour combinations. Finished with a tough, durable polyester powder coat, certified to the Qualicoat standard.

Signal White Flat/Matt RAL 9003	Anthracite Grey Flat/Matt RAL 7016	Anthracite Grey/ Signal White Flat/Matt RAL 7016 / 9003
Jet Black Flat/Matt RAL 9005	Jet Black/ Signal White Flat/Matt RAL 9005 / 9003	



Composite Doors

Composite doors combine modern materials and advanced performance with traditional looks to enhance the character of your home.

GRP Composite Doors

Our **Diamond Range** GRP composite doors are superior energy efficiency and minimal maintenance.

The GRP composite doors are manufactured with a high insulation foam core, which delivers outstanding thermal performance, to keep the heat in and the cold out.

Durable glass reinforced plastic (GRP) skins provide a rich, authentic timber grain in a range of traditional and contemporary colours that are highly resistant to denting, peeling, flaking or fading.

High security locking and reinforced PVC-U frame comes as standard to protect you, your family and your home.



Solid Timber Core Composite Doors

The **Encore Range** is the ultimate in composite door technology and performance.

Meticulously constructed from 48mm solid engineered timber core to provide reassuring strength and rigidity, not to mention its proven resistance to warping, twisting and bowing. Encore doors also use advanced Cool Skin heat reflective door skin technology to reduce heat absorption, and offer improved scratch resistance and weather performance.

The Encore range has been carefully produced using only the highest quality materials, built to last and has been subject to rigorous testing, giving homeowners total peace of mind.

Encore



GRP composite doors

Our **Diamond Range** of composite doors are manufactured with a high insulation foam core, which delivers outstanding thermal performance, to keep the heat in and the cold out.



Durable glass reinforced plastic (GRP) skins provide a rich, authentic timber grain in a range of traditional and contemporary colours that are highly resistant to denting, peeling, flaking or fading. High security locking and reinforced PVC-U frame comes as standard to protect you, your family and your home.



York
Door Colour: Cotswold
Glazing: Linear

Kelso
Door Colour: Anthracite Grey
Glazing: Kensington

Kelso Mid
Door Colour: Agate Grey
Glazing: Satin

Kelso Left
Door Colour: Chartwell Green
Glazing: Obscure

Kelso Right
Door Colour: Blue
Glazing: Clear



Kelso Solid
Door Colour: Stormy Seas

Kempton
Door Colour: Red
Glazing: Aurora

Hamilton
Door Colour: Mulberry
Glazing: Tahoe*

Hamilton Right
Door Colour: White
Glazing: Crystal Flowers

Hamilton Left
Door Colour: Black
Glazing: Greenwich



Haydock
Door Colour: Silver Grey
Glazing: Reflections

Cheltenham
Door Colour: Olive Grove
Glazing: Classic

Aintree 2
Door Colour: Green
Glazing: Dorchester Green

Aintree Solid
Door Colour: Black

Aintree 4
Door Colour: Rosewood
Glazing: Flair



Sandown
Door Colour: Wedgewood
Glazing: Linear

Worcester
Door Colour: Cotswold
Glazing: Worker Bee

Worcester Solid
Door Colour: Anthracite Grey

Worcester Diamond
Door Colour: Agate Grey
Glazing: New Orleans

Standard Colour Options



Images for illustrative purposes only. alternative hardware placement must be specified at point of order and is subject to overall doorset width.
*Rosewood and Antique Oak options not available in the Kelso or Kempton designs, available in the Encore range

Non-standard Colour options



Non-standard colour options are available on a longer lead time. Please ask for details.
*Glass tile is available in Red, Magenta, Blue, Green, Black or Grey

Solid timber core composite doors

The Encore Range is the ultimate in composite door technology and performance.

Meticulously constructed from 48mm solid engineered timber core to provide reassuring strength and rigidity, not to mention its proven resistance to warping, twisting and bowing.



Encore doors also use advanced Cool Skin heat reflective door skin technology to reduce heat absorption, and offer improved scratch resistance and weather performance. The Encore range has been carefully produced using only the highest quality materials, built to last and has been subject to rigorous testing, giving homeowners total peace of mind.



Westminster
Door Colour: Ice Cream
Glazing: Zinc Art Star



St. James
Door Colour: Anthracite Grey
Glazing: Linear



St. James Left
Door Colour: Chartwell Green
Glazing: Obscure



St. James Right
Door Colour: Blue
Glazing: Clear



St. James Mid
Door Colour: Agate Grey
Glazing: Satin



Hampton
Door Colour: Black
Glazing: Aurora



Blenheim
Door Colour: Cherrywood
Glazing: New Orleans



Blenheim Right
Door Colour: Red
Glazing: Reflections



Blenheim Left
Door Colour: Anthracite Grey
Glazing: Tahoe*



Osborne
Door Colour: Green
Glazing: Prairie



Buckingham
Door Colour: Red
Glazing: Classic



Buckingham
Door Colour: Red
Glazing: Mayfair



Balmoral
Door Colour: Red
Glazing: Classic



Carisbrooke 2
Door Colour: Black
Glazing: Mayfair



Carisbrooke Solid
Door Colour: White



Carisbrooke 4
Door Colour: Chartwell Green
Glazing: New Orleans



Berkeley
Door Colour: Blue
Glazing: Linear



Highgrove
Door Colour: Ice Cream
Glazing: Elegance



Highgrove Solid
Door Colour: Chartwell Green



Highgrove Diamond
Door Colour: Green
Glazing: Bullion

Colour options



Images for illustrative purposes only. Alternative hardware placement must be specified at point of order and is subject to overall doorset width.
*Glass tile is available in Red, Magenta, Blue, Green, Black or Grey

Home extension & conservatory transformation

hup! is the revolutionary, highly energy efficient new way to extend your home and create beautiful, bright living spaces, with minimal disruption.



hup!
The better way to build

Ultimate Design Flexibility

- Vaulted, sloped or flat ceilings
- Choice of Ultraframe roof systems
- Any wall finish, including brick, render or cedar
- Windows and doors anywhere, any style, any shape
- Unrivalled choice of rooflights

Five Times More Energy Efficient

- Keep energy bills low
- Lower emissions
- Zero waste production methods
- Increased comfort indoors

Five Times Faster To Build

- Save weeks or months off build times
- Rapid connection technology
- Build in any weather
- Less mess and disruption

High Quality Finish Every Time

- Designed with advanced manufacturing software
- Built by a trained and experienced hup! build team
- Made to measure components for a perfect build, every time

One Supplier, One Project

- Fully project managed for you
- No need for an architect
- No need for independent structural calculations
- Reliable timelines
- Cost certainty and clear pricing

Kind to the Planet

- 60% more carbon efficient to manufacture vs brick
- Zero waste in production and on site
- Re-use basework
- ISO 140001 Environmental Management Accredited
- Lower ongoing energy usage - less emissions



Extensions



Transformations



Conservatories



Garden Homes



Conservatory transformations

Extension-like conservatory upgrades

If you have ambitions for your old conservatory, then hup! is the simple solution. Within a matter of weeks, hup! can transform an old conservatory into a modern, energy efficient extension that feels like it is now part of your home. hup!'s lightweight, energy efficient walls are quick, easy, and cost effective to build onto existing bases.

Upgrade to a high performance glass roof, or choose a super-insulated solid roof with rooflights to transform the thermal performance of your conservatory and still keep the natural light in any adjoining rooms.

With super-insulated walls, your new hup! will be energy efficient enough to turn your old conservatory into a modern open plan extension by removing internal doors and opening the space up to the rooms beyond.



Lantern roof and Orangery

The purpose designed Stratus aluminium lantern roof system is discreet yet stylish.

Stratus allows light to flood into your home's interior, the ideal modern lantern solution, coupling sleek contemporary looks with truly outstanding performance.

Designed from the ground up around an innovative thermally broken system, it provides excellent thermal performance - keeping cool in the summer and warm in the winter - while delivering the architectural refinement you'd expect of a high end aluminium lantern system.

Whether you are building a new kitchen-diner extension or replacing an existing lantern roof, Stratus will help redefine your home, creating light and airy spaces for you to enjoy.



Smart security

Yale SensCheck Smart Security



Range of Reliable Hardware

Profile 22 can accommodate the very latest in high-security hardware, advanced multipoint locks, keeps and key-locking handles.



Yale SensCheck™ Door and Window Sensors

- When you leave home, you **receive an alert** to tell you the status of all your doors and windows.
- Monitor the status of your doors & windows from **anywhere in the world**.
- No cost** feature with **no obligation** to buy.
- The Hub has a **94db alarm** with an entrance/ exit **chime** and **panic alarm features** as well as alerting you should any door or window be broken into.



Easy Set-up



Wireless



Real-time Notifications



Live Status



Geo-fencing



Arm/Part Arm

- Low-cost** differentiator
- Upgradable at the **consumer's leisure** with no obligation to buy.
- Zero impact on the installation, nothing is required from the installation teams, **no extra work, and no increased time on site** at all.
- Sensors are fully concealed, meaning **no impact on the style, security, or functionality** of the doors or windows.
- An **opportunity to upsell** stand-alone additional home security products should you wish to (alarm/ CCTV)
- Dedicated Yale consumer help desk** to deal with any enquiries, **no need for you to get involved** past the sales process.
- It really is a no-commitment, no hassle differentiator, a **"Why wouldn't you"**.



SensCheck™
Door Sensor



SensCheck™
Window Sensor



SensCheck™
Sync Hub





YOURCOMPANY

Windows & Doors for your home



Your Address Here, Window Street, AB1 2CD

Tel: 0000 000 000

www.yourcompany.com



FM 09180
ISO 9001



EMS 86980
ISO 14001



OHS 523157
ISO 45001



KM 33523
BS EN 12608 / PAS 24
PVC-U Profile -
Enhanced Security
Window System Supplier



KM 56791
BS EN 12608 / PAS 24
PVC-U Profile -
Enhanced Security
Doors System Supplier



KM 12895
BS EN 12608
PVC-U Profiles for the
Fabrication
of Windows and Doors



KM 594776
BS 8529 / PAS 24
Enhanced Security
Composite Door
System Supplier



Official Police Security Initiative

